



J720 Dental Printer

Speed. Productivity. Realism.



Speed. Productivity. Realism.

The Stratasys J720™ Dental 3D printer is designed to meet the increased demands labs face today. This full-color, multi-material printer produces high-resolution models with precise accuracy. It offers an unrivaled combination of speed, high throughput and realism to handle all dental case needs with the capacity to outperform DLP and SLA dental printers.

Harness the Power of Color

- Increase patient acceptance of case presentations — show your patients how their treatment will look before starting work
- Leverage full-color capability to differentiate your lab, improve workflow and tracking, and communicate more information
- Reduce C&B remakes with the only dental printer able to create highly-realistic replicas of the patient's mouth



Be More Productive



1.75X the throughput of leading competing DLP printers



Reduce material changeovers and eliminate the need for multiple printers by printing with six materials at once



Save time and improve throughput with the automaitc tray arrangement in GrabCAD



Print all dental parts - implant models, surgical guides, gingiva mask and more in a single print



Large print capacity accommodates many cases at a time, reducing touchtime to load and process smaller printers with lower capacity



Simplify the creation and service quality of orthodontic devices with the Separator DM — which coats models, making the removal of wax and acrylic residues easy





Model Materials	 Dental materials: VeroDent™ (MED670) and VeroDentPlus™ (MED690) Biocompatible materials: MED610™, MED620™ and MED625FLX™ Vero™ family of opaque materials including neutral shades Vibrant colors including VeroCyanV™, VeroMagentaV™ and VeroYellowV™ Tango™ and Agilus30™ families of flexible materials Transparent VeroClear™ VeroUltraClear™
Digital Model Materials	 Unlimited number of composite materials including: Over 500,000 colors Materials to replicate soft tissue in a variety of Shore A values Translucent color tints Separator Digital Materials
Support Materials	SUP705™ /SUP70B™ (APJ) (WaterJet removable) SUP706B™ (soluble)
Build Size	490 x 390 x 200 mm (19.3 x 15.35 x 7.9 in.)
Layer Thickness	Horizontal build layers down to 14 microns (0.00055 in.)
Workstation Compatibility	Windows 7
Network Connectivity	LAN - TCP/IP
System Size and Weight	1,400 x 1,260 x 1,100 mm (55.1 x 49.6 x 43.4 in.); 430 kg (948 lbs.) Material Cabinet: 670 x 1,170 x 640 mm (26.4 x 46.1 x 25.2 in.); 152 kg (335 lbs.)
Operating Conditions	Temperature 18 – 25 °C (64 – 77 °F); relative humidity 30-70% (non-condensing)
Power Requirements	100-120 VAC, 50-60 Hz, 13.5 A, 1 phase 220-240 VAC, 50-60 Hz, 7 A, 1 phase
Regulatory Compliance	CE, FCC, EAC
Software	GrabCAD Print™
Build Modes	High Speed: up to 3 base resins, 27-micron (0.001 in.) resolution High Quality: up to 6 base resins, 14-micron (0.00055 in.) resolution High Mix: up to 6 base resins, 27-micron (0.001 in.) resolution



Work Faster

- Lower cost of operation reduce the number of printers needed to maintain throughput and the labor required to monitor and service multiple printers
- Streamlined workflow print in different materials on the same build tray, maximizing productivity and accelerating throughput
- Quicker turnaround time for the same capacity, models are finished faster than competing systems
- Achieve speed and quality the J720 combines high-resolution printing with fast time-to-part

USA - Headquarters

7665 Commerce Way Eden Prairie, MN 55344, USA +1 952 937 3000

ISRAEL - Headquarters

1 Holtzman St., Science Park PO Box 2496 Rehovot 76124, Israel +972 74 745 4000

stratasys.com

ISO 9001:2015 Certified

EMEA

Airport Boulevard B 120 77836 Rheinmünster, Germany +49 7229 7772 0

ASIA PACIFIC

7th Floor, C-BONS International Center 108 Wai Yip Street Kwun Tong Kowloon Hong Kong, China + 852 3944 8888



GET IN TOUCH.

www.stratasys.com/contact-us/locations

